



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/527,546

03/11/2005

Prem Kumar Chedella

IN 020002

2294

24737

7590

09/02/2008

PHILIPS INTELLECTUAL PROPERTY & STANDARDS

P.O. BOX 3001

BRIARCLIFF MANOR, NY 10510

EXAMINER

CHAN, RICHARD

ART UNIT

PAPER NUMBER

2618

MAIL DATE

DELIVERY MODE

09/02/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/527,546	Applicant(s) CHEDELLA ET AL.	
	Examiner RICHARD CHAN	Art Unit 2618	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 May 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6,9-13,15,16 and 18-21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6,9-13, 15, 16, and 18-21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments, see page 11, filed 5/21/08, with respect to the rejection(s) of claim(s) 1 under 35 U.S.C. 103(a) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Sasaki (US 5,761,438).

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. Claim 1-3, 5, 6, 12, and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chmaytelli (PCT/US01/128491) in view of Lauterbach (US 5,278,539) and in view of Sasaki (US 5,761,438).

With respect to claim 1, Chmaytelli discloses the communication apparatus, comprising: a transmitter capable of transmitting an electromagnetic signal; a first interface for interfacing with a first storage means 212 and a control unit 206 capable of urging the transmitter to transmit the electromagnetic signal and using the first interface

to store a message entry in the first storage means 212, characterized in that: the control unit 206 is capable of using the second interface to store, in the second storage means 212, a time entry specifying at least one of the elements date and time, an address entry specifying a communication address, and a relation between the time entry, the address entry, and the message entry; the control unit 206 comprises an auto-dialer capable of initiating transmission of the message entry to the communication address when triggered; and a timing device is present, capable of triggering the auto-dialer in dependence upon the time entry. 1013-1014]

However the Chmaytelli reference does not specifically disclose wherein the autodialer is capable of attempting transmission to the communication address several times in order to successfully complete transmission of the message entry and a second interface for interfacing with a second storage means 212 is present.

The Lauterbach reference however discloses an autodialer implemented on a calling system which implements a redial function which is able to continually trying to reach an outside line until the complete transmission entry is finally transferred.

It would have been obvious to one of ordinary skill in the art to implement a redial function as disclosed by Lauterbach to the communication apparatus as disclosed by Chmaytelli in order to continually reach a second party until the transmission has been completed.

The Sasaki reference discloses wherein an external storage device 6a contains the communication address of the both the user and the other communication apparatus needed to complete the communication sequence. (Col.4 line 56-67)

It would have been obvious to one of ordinary skill in the art to implement an external storage source as disclosed by Sasaki to the auto-dialer system as disclosed by Chmaytelli in order to store the properties of the dialed logs of the system.

With respect to claim 2, Chmaytelli, Lauterbach, and Sasaki combined disclose an apparatus as claimed in claim 1, wherein that the control unit 206 uses the first interface to store an electromagnetic signal received from a microphone 204 as a message entry in the first storage means 212.

With respect to claim 3, Chmaytelli, Lauterbach, and Sasaki combined disclose discloses an apparatus as claimed in claim 1, characterized in that it comprises an element allowing transmission to a wireless network. [1007]

With respect to claim 5, Chmaytelli, Lauterbach, and Sasaki combined discloses an apparatus as claimed in claim 1, wherein the control unit 206 uses the second interface to store, in the second storage means 212, multiple address entries and a relation between the message entry and the multiple address entries. [1013]

With respect to claim 6, Chmaytelli, Lauterbach, and Sasaki combined discloses an apparatus as claimed in claim 5, wherein the control unit 206 uses the second interface to store, in the second storage 212 means, multiple time entries 114 and a relation between the multiple address entries and the multiple time entries. [1009]

With respect to claim 12, Chmaytelli, Lauterbach, and Sasaki combined discloses an apparatus as claimed in claim 1, the Chmaytelli reference continues to disclose wherein a notification is generated when the transmitter has successfully completed transmission of the message. [1011]

2. Claims 4 and 15-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chmaytelli (PCT/US01/128491) in view of Garudadri (US 6,519,479) and in view of Sasaki (US 5,761,438).

With respect to claim 4, Chmaytelli discloses a communication apparatus, comprising:

a first memory 212;

a second memory 212;

a transmitter 214 that transmits an electromagnetic signal;

a first interface that interfaces with the first memory;

a second interface that interfaces with the second memory;

a control unit 206 that:

signals the transmitter 214 to transmit the electromagnetic signal; [1014]

uses the first interface to store a message entry in the first memory 212; and uses the first interface to store a message entry in the second memory, a time entry specifying at least one of a date and a time, an address entry specifying a communication address, and a relation between the time entry, the address communication address and a relation between the time entry, the address entry, and the message entry;[1013-1014]

an autodialer 206 that initiates transmission of the message entry to the communication address when triggered; and

a timing device 114 that triggers the auto-dialer to transmit the message entry to the specified communication address at the at least one of date and time specified in the time entry.[1011]

and wherein multiple times and dates are associated with the messages.

However the Chmaytelli discloses an apparatus as claimed in claim 1, however Chmaytelli does not specifically disclose wherein the transmitter is capable of transmitting a message entry with a prefix indicating that a message will follow and wherein the prefix comprises an electromagnetic signal received from a microphone.

The Garudadri reference discloses the device, wherein a user inputs by a keypad or audibly by microphone into a VR device, wherein a message will follow the prefix (Col.5 lines 35-52) and a microphone (31) wherein an audible message being input by a user is translated into a electromagnetic signal. (Col.6 lines 45-51)

It would have been obvious to one of ordinary skill in the art to implement the microphone input and VR device as disclosed by Garudadri to the apparatus of Chmaytelli in order to input audible commands by the user to the device.

The Sasaki reference discloses wherein an external storage device 6a contains the communication address of the both the user and the other communication apparatus needed to complete the communication sequence. (Col.4 line 56-67)

It would have been obvious to one of ordinary skill in the art to implement an external storage source as disclosed by Sasaki to the auto-dialer system as disclosed by Chmaytelli in order to store the properties of the dialed logs of the system.

With respect to claim 15, Chmaytelli, Garudadri, and Sasaki combined discloses the apparatus according to claim 4, however does not specifically disclose wherein the apparatus includes at least one of a mobile phone or a personal digital assistant (PDA) with a wireless LAN compactFlash card, which enables wireless transmission of the message.

The Garudadri reference however discloses wherein an apparatus can use flash memory in order to store instructions to operate the device. (Col.11 line 52-65)

It would have been obvious to one of ordinary skill in the art to implement the use of a flash card to contain the software, which allows the apparatus to function as disclosed by Garudadri with the apparatus of Chmaytelli in order provide additional software and space for the apparatus.

With respect to claim 16, Chmaytelli, Garudadri, and Sasaki combined discloses the apparatus according to claim 4, Chmaytelli continues to disclose wherein multiple address entries specifying multiple communication addresses are associated with the message entry.[1010]

With respect to claim 18, Chmaytelli, Garudadri, and Sasaki combined discloses the apparatus according to claim 4, Chmaytelli continues to disclose wherein multiple dates and times are associated with a given address entry.

With respect to claim 19, Chmaytelli, Garudadri, and Sasaki combined discloses the apparatus according to claim 4, however Chmaytelli does not specifically disclose wherein the apparatus further including a speech recognizer that recognizes at least one of a date and time entry, a message entry, or address entry.

The Garudadri reference however discloses an apparatus wherein a speech recognizer, VR device which is able to interpret a users voice. (Col.6 lines 45-51)

It would have been obvious to one of ordinary skill in the art to implement a VR device that is a speech recognizer as disclosed by Garudadri to the apparatus of Chmaytelli in order to be able translate an audible signal from a user to the apparatus.

With respect to claim 20, Chmaytelli, Garudadri, and Sasaki combined disclose the apparatus of claim 19, Garudadri further discloses wherein the apparatus is

including a microphone 204 into which a user speaks to enter at least one of the time and date entry, the message entry, or the address entry.

With respect to claim 21, Chmaytelli, Garudadri, and Sasaki combined disclose the apparatus of claim 4, wherein the controller controls such that information of a first type is stored in the first memory and information of a second type, different from the first type, is stored on the second memory.

The Sasaki reference discloses wherein an external storage device 6a contains the communication address of the both the user and the other communication apparatus needed to complete the communication sequence. (Col.4 line 56-67)

3. Claims 9 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chmaytelli (PCT/US01/28491) and Lauterbach (US 5,278,539) in view of Garudadri (US 6,519,479) and in view of Sasaki (US 5,761,438).

With respect to claim 9, Chmaytelli, Lauterbach, and Sasaki combined discloses an apparatus as claimed in claim 1, however Chmaytelli, Lauterbach, and Sasaki do not specifically disclose wherein the apparatus further including a speech recognizer recognizing at least one of the entries date, address and message.

The Garudadri reference however discloses an apparatus wherein a speech recognizer, VR device which is able to interpret a users voice. (Col.6 lines 45-51)

It would have been obvious to one of ordinary skill in the art to implement a VR device that is a speech recognizer as disclosed by Garudadri to the apparatus of Chmaytelli and Lauterbach in order to be able translate an audible signal from a user to the apparatus.

With respect to claim 11, Chmaytelli, Lauterbach, and Sasaki combined discloses an apparatus as claimed in claim 1, however Chmaytelli and Lauterbach combined does not specifically disclose wherein the apparatus is characterized in that the control unit is capable of detecting communication with a machine and stopping transmission of the message if communication with a machine is detected.

The Garudadri reference however discloses wherein a control unit 100 is capable of detecting communication with a machine and stopping if a transmission is detected.
(Col.10 lines 14-22)

It would have been obvious to one of ordinary skill in the art to implement the detection of communication between the apparatus and a secondary machine as disclosed and stopping if a transmission is detected by Garudadri to the apparatus of Chmaytelli and Lauterbach in order to allow the apparatus to stop transmission.

4. Claims 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Chmaytelli (PCT/US01/128491) in view of Sasaki (US 5,761,438).

With respect to claim 13, Chmaytelli discloses a machine readable medium having stored thereon communication software enabling, upon its execution, a programmable apparatus Fig.2 to function as a communication apparatus, comprising: a function 114 for receiving a time entry specifying at least one of the elements date and time, an address entry specifying a communication address, and a message entry; and a function for transmitting the message entry to the communication address depending on the time entry. **[1009-1011]**, however the Chmaytelli reference does not specifically disclose wherein the communication software is stored on a record carrier.

The examiner takes official notice of the communication software is stored on a record carrier.

It would have been obvious to one of ordinary skill in the art to implement the teaching of storing software on a record carrier of the mobile device with the messaging system as disclosed by Chmaytelli in order for the mobile device to be able to execute the software locally to initiate the specified time messaging.

The Sasaki reference discloses wherein an external storage device 6a contains the communication address of the both the user and the other communication apparatus needed to complete the communication sequence. (Col.4 line 56-67)

It would have been obvious to one of ordinary skill in the art to implement an external storage source as disclosed by Sasaki to the auto-dialer system as disclosed by Chmaytelli in order to store the properties of the dialed logs of the system.

With respect to claim 10, Chmaytelli and Sasaki combined discloses an apparatus as claimed in claim 13, characterized in that the control unit 206 is capable of attempting transmission to the communication address several times in order to successfully complete transmission of the message. [1009]

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to RICHARD CHAN whose telephone number is (571)272-0570. The examiner can normally be reached on Mon - Fri (9AM - 5PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on (571)272-7882. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Richard Chan/
Examiner, Art Unit 2618

/Nay A. Maung/
Supervisory Patent Examiner, Art
Unit 2618